Wickes



WICKES INTERIOR FRENCH DOORS

French doors do not just have to be used as a way of getting from the house to the garden. When used internally they can divide two rooms and also allow natural light in.
Wickes range of internal

French doors provides a number of different options including folding doors, simple screens and even fitted wardrobes. You could even create your own "through" room, although if you are intending to do so you must ensure that you do not weaken the structural strength of your house and you must contact your Local Building Control Office for guidance before you undertake the work.



Newland Pine Arched French Door

Interior French Door Range

Pine Range

208-500 Newland Pine French Doors. Glazed (pair)

208-501 Newland Side Panel. Glazed

208-052 Newland Demi Panel. Glazed

205-751 Newland 8 lite Pine French Doors. Glazed (pair)

205-752 Newland 8 lite Pine Side Panel. Glazed

187-463 Newland 8 lite Pine Demi Panel. Glazed

155-201 Newland Pine Arched French Doors. Glazed (pair)

Hardwood Range

- 187-453 Stockholm Oak Veneer French Doors
- 187-509 Stockholm Oak Veneer Frame

All the external frame dimensions are given for each of the projects listed. Use this leaflet to identify all the product requirements for your particular project.

Brick or blockwork openings should be a minimum of 9mm larger to allow for adjustment and square fixing in the opening. Timber stud partitions should be made to the exact size ensuring that they are perfectly square. The height of the opening should also take into account any floor coverings to be laid later.

The overall dimensions of the French doors, side panels. and demi panels. are given in the component diagram.

These dimensions may be needed if fitting the doors/panels. into existing openings/ linings or for making your own lining. You should add 4mm to the door width dimensions, and 3mm to the panel dimensions, when determining the internal lining width to allow for hinges and clearance. The lining height should take into account any floor coverings to be laid later and allow a further 4mm height clearance.

Use planed softwood timber 18 x 145mm for making door linings and 12 x 44mm for the doorstop.

Other products needed will be 513-007

8 x 11/4" Brass countersunk screws for the

hinges. You may also require, 510-000

8 x 80mm frame Fixers or 510-002 10 x 100mm Frame Fixers, 240-680 Mahogany Outdoor Sealant, 240-693 Decorators Filler, and Wickes Professional Woodstain, varnish or paint in the colour of your choice.

You will also require handles and architrave of your choice.

KEEP INFORMED

- Look for other Good Idea Leaflets that could help you with your current project.
- Check that your Good Idea Leaflets are kept up to date.
 Leaflets are regularly changed to reflect product changes so keep an eye on issue dates.
- If you would like to be put on our mailing list for the Wickes Catalogue call


0845 274 1000

Visit our website
 wickes.co.uk

NEWLAND FRENCH DOORS AND SIDE PANELS.










B6

PROJECT





B2

PROJECT



NEWLAND FRENCH DOORS AND SIDE PANELS.











PROJECT **B10** 155203



GENERAL INFORMATION

Hardware

French doors, demi/side panels. and frames are not supplied with any of the hardware that is required to install the project. Each French door pair requires six 75mm hinges, three on each side, a rebated tubular mortise latch and a barrel bolt.

You can choose the handles of your choice from our extensive range.



Paint & Peel


Doors with this symbol have a protective film applied to the glass at the factory which allows you the paint the doors as required and then remove the film from the glass afterwards.







Newland Individual Product Sizes



Newland glazed French doors **Newland 8 lite** French doors Overall door size = 1170mm wide & 1981mm high



Newland glazed side panel Newland pine side panel Newland 8 lite side panel Overall side panel size = 591mm wide & 1981mm high



Newland glazed demi panel Newland 8 lite demi panel Overall demi panel size

= 292mm wide & 1981mm high





Wickes have many other product brochures and price lists that may be useful too, pick up your copies, free, in store now

Wickes

Wickes Building Supplies Limited, 120-138 Station Road, Harrow, Middlesex HA1 2QB Customer Service Number 0844 892 2701

Wickes take every care to ensure that the product design, descriptions, specifications and techniques of constructing our products are accurate at the date of printing. We constantly strive to improve our products and this may result, from time to time, in changes to our ranges. Please check that design, descriptions, specifications and techniques of construction described in the Brochure are still valid at the time of purchase. Colours in this Brochure are as accurate as the print process will allow.

© Wickes Building Supplies Limited 2011. All rights reserved. No part of this Brochure may be transmitted in any form or by any means electronic, mechanical, photocopying, recordings or otherwise or stored in any retrieval system of any nature without the written permission of the copyright holder and the publisher.